

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A1 07/2010→</b> (Type 8X) PCD 5 / 100 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	35	5 / 100	C.R.	369 757 002	035 457 571	
	369	8.0 x 18	35	5 / 100	C.R.	369 808 006	035 457 571	
	383	8.0 x 18	32	5 / 100	C.R.	383 808 007	065 457 571	
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
<b>A3 01/2003→</b> (Type 8P) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	369	9.5 x 18	40	5 / 112	C.R.	369 958 005	035 457 571	Rear Axle
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 571	Rear Axle
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 571	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 571	Rear Axle
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 571	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 571	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A3 Cabrio 12/2007→</b> (Type 8P) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	369	9.5 x 18	40	5 / 112	C.R.	369 958 005	035 457 571	Rear Axle
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 571	Rear Axle
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 571	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 571	Rear Axle
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 571	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 571	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
<b>A4 09/2000→08/2007</b> (Type 8E, QB6) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 571	More aggressive
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 571	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 571	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 571	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 571	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 571	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A4 09/2007→</b> (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 664	More aggressive
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 664	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	More aggressive
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	369	9.5 x 18	40	5 / 112	C.R.	369 958 005	035 457 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	More aggressive
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	More aggressive
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	More aggressive
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	More aggressive
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	More aggressive
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	More aggressive
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	More aggressive
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	More aggressive
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	More aggressive
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	More aggressive
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 664	
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	More aggressive
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	More aggressive
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	More aggressive
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle
<b>A4 ALLROAD 04/2009→</b> (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	505	8.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 808 001	035 457 664	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	8.5 x 19	25	5 / 112	C.R.	505 859 012	035 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A4 CABRIO 09/2001</b> → (Type 8H) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 571	More aggressive
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 571	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 571	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 571	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 571	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 571	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle
<b>A5-CABRIO-S5 CABRIO 03/2007</b> → (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
* 5-10mm Spacer	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 664	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365*	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369*	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383*	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501*	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505*	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A6 03/2004→12/2010</b> (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
* Except 4.2 V8 Except 2.7 TDI V6	369*	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	369	9.5 x 18	40	5 / 112	C.R.	369 958 005	035 457 571	Rear Axle
*** With 6mm Spacer	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 571	Rear Axle
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 571	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 571	Rear Axle
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 571	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 571	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	369***	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 571	Rear Axle
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	383***	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 571	Rear Axle
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	501***	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 571	Rear Axle
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	503***	10.5 x 20	40	5 / 112	C.R.	503 150 002	065 457 571	Rear Axle
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	505***	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 571	Rear Axle
<b>A6 01/2011→</b> (Type 4G) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 664	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 664	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 808 001	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 808 002	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 958 001	035 457 664	
	383	8.5 x 19	30	5 / 112	C.R.	383 808 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 958 001	065 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 808 001	035 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 808 002	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 958 001	035 457 664	
	505	8.5 x 19	30	5 / 112	C.R.	505 808 001	035 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 808 002	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 908 001	035 457 664	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	065 457 664	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A7 06/2010→</b> (Type 4G) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	
	503	10.5 x 20	30	5 / 112	C.R.	503 150 001	065 457 664	Rear
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear
<b>A8 11/2010→</b> (Type 4H) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
*Except 285 Kw and ceramic brake	369*	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	383*	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	501*	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	
	383*	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A8 01/2002→11/2010</b> (Type 4E) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
* Except cars equipped With Front Axle brakes discs Ø365mm	369*	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	More aggressive
	369*	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	369*	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 571	Rear Axle
	383*	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	More aggressive
	383*	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	383*	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 571	Rear Axle
	501*	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	More aggressive
	501*	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501*	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	More aggressive
	505*	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 571	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	More aggressive
	369*	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 571	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	More aggressive
	383*	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 571	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	More aggressive
	501*	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	More aggressive
	505*	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 571	More aggressive
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 571	More aggressive
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 571	More aggressive
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 571	More aggressive
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	More aggressive
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	More aggressive
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 571	More aggressive
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 571	
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 571	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>A8 6.0 W12 01/2003→11/2010</b> (Type 4E) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	More aggressive
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 571	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	More aggressive
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 571	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	More aggressive
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	More aggressive
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 571	More aggressive
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 571	More aggressive
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 571	More aggressive
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 571	More aggressive
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	More aggressive
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	More aggressive
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 571	More aggressive
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 571	
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 571	Rear Axle
<b>ALLROAD 03/2006→</b> (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 571	More aggressive
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	More aggressive
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	More aggressive
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	More aggressive
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	More aggressive
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	More aggressive
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	More aggressive
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	More aggressive
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	More aggressive
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 571	More aggressive
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 571	More aggressive
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 571	More aggressive
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	More aggressive
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 571	More aggressive
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>S3 06/2006→</b> (Type 8P) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	Body Work
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	Body Work
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	Body Work
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	Body Work
<b>RS3 01/2011→</b> (Type 8PA) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear
<b>S4 09/2000→06/2009</b> (Type QB6) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 571	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 571	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 571	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 571	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 571	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>S4 07/2009</b> → (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 664	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	More aggressive
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
<b>RS4 03/2005</b> → (Type QB6) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 001	+5mm Spacer
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	8.5 x 19	25	5 / 112	C.R.	505 859 012	035 457 571	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 571	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 571	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 571	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 571	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 571	
<b>S5 03/2007</b> → (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
<b>S6 01/2006</b> → (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
* With Tyres 265/35R19	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	369*	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 571	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 571	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>RS6 09/2007→</b> (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 571	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 571	+10mm Spacer
<b>RS6 CERAMIC BRAKES 09/2007→</b> (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 571	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	075 457 D02	+10mm Spacer
<b>Q3 06/2011→</b> (Type 8U) PCD 5 / 112 - Hub Ø57.1 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 571	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 571	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 571	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 571	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 571	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	
	501	9.0 x 20	40	5 / 112	C.R.	501 900 002	035 457 571	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 571	
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>Q5 09/2008→</b> (Type 8R) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	
	381	9.0 x 22	25	5 / 112	C.R.	381 902 001	035 457 664	
	381	9.0 x 22	38	5 / 112	C.R.	381 902 002	035 457 664	
	503	9.0 x 22	20	5 / 112	C.R.	503 902 001	065 457 664	
	503	9.0 x 22	30	5 / 112	C.R.	503 902 002	065 457 664	
<b>Q7 09/2005→</b> (Type 4L) PCD 5 / 130 - Hub Ø71.6 - Screw M14 x 1.5 19mm HEX								
* Except V12	381*	9.5 x 20	52	5 / 130	71.6	381 950 004	Original	
	389*	9.5 x 20	52	5 / 130	71.6	389 950 003	Original	
	503*	9.0 x 20	50	5 / 130	71.6	503 900 007	Original	
	503*	10.5 x 20	45	5 / 130	71.6	503 150 004	Original	
	503	10.5 x 20	38	5 / 130	71.6	503 150 003	Original	
	365*	10.0 x 22	54	5 / 130	71.6	365 102 003	Original	
	381*	10.0 x 22	54	5 / 130	71.6	381 102 013	Original	
	381*	11.5 x 22	58	5 / 130	71.6	381 152 003	Original	Rear Axle
	389*	10.0 x 22	54	5 / 130	71.6	389 102 004	Original	
	503*	9.0 x 22	50	5 / 130	71.6	503 902 006	Original	
	503*	10.0 x 22	54	5 / 130	71.6	503 102 005	Original	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

# AUDI

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
<b>TT 06/2006→</b> (Type 8J) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	369	9.5 x 18	40	5 / 112	C.R.	369 958 005	035 457 571	Rear Axle
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 571	Rear Axle
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 571	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 571	Rear Axle
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 571	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 571	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 571	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
<b>TT RS 09/2009→</b> (Type 8J) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX								
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	only M+S
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	only M+S

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.