

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
A-KLASSE 09/2004 → (Type 169) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 664	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
B-KLASSE 03/2005 → (Type 245) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
C-KLASSE 01/2007 → (Type 204) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	More aggressive
	369	9.5 x 18	40	5 / 112	C.R.	369 958 005	035 457 664	Rear Axle
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 664	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 664	Rear Axle
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 664	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 664	Rear Axle
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 664	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 664	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	035 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
C63 AMG 01/2007 → (Type 204) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	Front Axle
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	Front Axle
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	Front Axle
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	Front Axle
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	Front Axle
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	035 457 664	Front Axle
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	035 457 664	Rear Axle
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
C-KLASSE 03/2000→01/2007 (Type 203) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	055 257 664	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	055 257 664	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	055 257 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
C30 CDI AMG 01/2004→01/2007 (Type 203) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
C55 AMG 01/2004→01/2007 (Type 203) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE	
CL-KLASSE 06/2006 → (Type 216) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX									
* Except CL600 (380kw)	369*	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664		
	369*	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 664	Rear+Body work	
	383*	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664		
	383*	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 664	Rear+Body work	
	501*	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664		
	501*	9.5 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	Rear Axle	
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 257 664		
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 257 664	Rear Axle	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664		
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664		
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664		
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664		
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664		
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664		
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664		
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	Front Axle	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664		
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664		
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 664	Rear Axle	
	381	9.0 x 22	38	5 / 112	C.R.	381 902 002	035 457 664		
	381	10.0 x 22	40	5 / 112	C.R.	381 102 014	035 457 664	Rear Axle	
	CL63 AMG 06/2006 → (Type 216) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
		369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	Front Axle
		369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
		383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	Front Axle
		383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
		501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	Front Axle
		501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	Front Axle	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664		
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	Front Axle	
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	Front Axle	
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	Front Axle	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664		
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	Front Axle	
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 664	Rear Axle	
	381	9.0 x 22	38	5 / 112	C.R.	381 902 002	035 457 664	Front Axle	
	381	10.0 x 22	40	5 / 112	C.R.	381 102 014	035 457 664	Rear Axle	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
CL65 AMG 06/2006→ (Type 216) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	Front Axle
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	Front Axle
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	Front Axle
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	Front Axle
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	Front Axle
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 664	Rear Axle
	381	9.0 x 22	38	5 / 112	C.R.	381 902 002	035 457 664	Front Axle
	381	10.0 x 22	40	5 / 112	C.R.	381 102 014	035 457 664	Rear Axle
CLC-KLASSE 03/2008→ (Type 203CL) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	055 257 664	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	055 257 664	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	055 257 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
CLS-KLASSE 01/2011→ (Type 218) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	369	10.5 x 20	40	5 / 112	C.R.	369 150 002	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	
	503	10.5 x 20	40	5 / 112	C.R.	503 150 001	065 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle
CLS-KLASSE 03/2004→12/2010 (Type 219) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear+5mm Sp.
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
CLS 55 AMG 03/2004→03/2007 (Type 219) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear+5mm Sp.
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
CLS 63 AMG 03/2007→12/2010 (Type 219) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear+5mm Sp.
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
E-KLASSE 03/2002→01/2009 (Type 211) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except E420 CDI (231kw)	383*	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	383*	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 664	Rear Axle
	501*	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	501*	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 664	Rear Axle
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
E-KLASSE 01/2009 → (Type 212) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except E500	369*	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 664	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
** Except 350 CDI	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 664	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 664	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 664	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	505	9.0 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	365**	9 x 20	40	5 / 112	C.R.	365 900 002	065 457 664	
	369**	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle
	383**	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 664	
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle
	501**	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	505**	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
E-KLASSE T-MODEL 01/2009→ (Type 212K) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	369	8.0 x 18	48	5 / 112	C.R.	369 808 003	035 457 664	
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 664	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 664	Rear Axle
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
E-KLASSE T-MODEL 4-MATIC 01/2009→ (Type 212K) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	369	8.0 x 18	48	5 / 112	C.R.	369 808 003	035 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 664	
	383	9.5 x 18	40	5 / 112	C.R.	383 958 002	065 457 664	Rear Axle
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	035 457 664	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	035 457 664	Rear Axle
E-KLASSE COUPE'/CABRIO 01/2009→ (Type 207) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except E500	369*	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 664	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
E55 AMG 03/2002→03/2006 (Type 211) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
E63 AMG 03/2006→ (Type 212) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
GLK-KLASSE 09/2008→ (Type 204X) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	095 457 664	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	095 457 664	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	095 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	095 457 664	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	095 457 664	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	095 457 664	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	095 457 664	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	095 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	More Aggressive
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	095 457 664	More Aggressive
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	095 457 664	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	095 457 664	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	095 457 664	
	381	9.0 x 22	38	5 / 112	C.R.	381 902 002	095 457 664	
	503	9.0 x 22	30	5 / 112	C.R.	503 902 002	095 457 664	
GL-KLASSE 01/2006→ (Type 164G) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
** With 8mm Spacer and kit 075 457 664 regarding TÜV norms	381	9.5 x 20	52	5 / 112	66.6	381 950 001	035 457 000	
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	503	9.0 x 20	50	5 / 112	66.6	503 900 003	035 457 000	
	365**	10.0 x 22	60	5 / 112	66.6	365 102 001	035 457 000	
	381	10.0 x 22	52	5 / 112	66.6	381 102 011	035 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
M-KLASSE 11/2011 → (Type 166) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369*	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 664	
	501*	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	505*	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	381	9.5 x 20	52	5 / 112	66.6	381 950 001	035 457 000	
	385	9.5 x 20	52	5 / 112	66.6	385 950 001	035 457 000	
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	503	9.0 x 20	50	5 / 112	C.R.	503 850 003	035 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
	365	10.0 x 22	60	5 / 112	66.6	365 102 001	065 457 000	
	381	10.0 x 22	52	5 / 112	66.6	381 102 011	035 457 000	
	385	10.0 x 22	52	5 / 112	66.6	385 102 001	035 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	40	5 / 112	C.R.	503 102 001	035 457 664	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	
M-KLASSE 01/2005 → 10/2011 (Type 164) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except ML500 (285kw)	369*	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	More aggressive
	369*	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 664	
	383*	8.0 x 18	40	5 / 112	C.R.	383 808 002	035 457 664	More aggressive
	383*	8.0 x 18	48	5 / 112	C.R.	383 808 003	035 457 664	
	501*	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	505*	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 664	
	369	9.5 x 19	40	5 / 112	C.R.	369 959 005	035 457 664	Rear Axle
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 664	
	383	9.5 x 19	40	5 / 112	C.R.	383 959 002	065 457 664	Rear Axle
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	Front Axle
	369	10.5 x 20	40	5 / 112	C.R.	369 150 002	035 457 664	Rear Axle
	381	9.5 x 20	52	5 / 112	66.6	381 950 001	035 457 000	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 664	Front Axle
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	503	9.0 x 20	50	5 / 112	C.R.	503 850 003	035 457 664	Front Axle
	503	9.0 x 20	40	5 / 112	C.R.	503 850 002	035 457 664	Front Axle
	503	10.5 x 20	40	5 / 112	C.R.	503 150 001	035 457 664	Rear Axle
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle
	365	10.0 x 22	60	5 / 112	66.6	365 102 001	065 457 000	
	381	10.0 x 22	52	5 / 112	66.6	381 102 011	035 457 000	
	381	11.5 x 22	45	5 / 112	66.6	381 152 001	035 457 664	Rear Axle
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	40	5 / 112	C.R.	503 102 001	035 457 664	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
ML63 AMG 06/2005→ (Type 164) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	
	503	10.5 x 20	40	5 / 112	C.R.	503 150 001	035 457 664	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	
	381	10.0 x 22	40	5 / 112	C.R.	381 102 014	035 457 664	
	381	11.5 x 22	45	5 / 112	66.6	381 152 001	035 457 664	Rear Axle
	503	10.0 x 22	40	5 / 112	C.R.	503 102 001	035 457 664	
R-KLASSE 04/2005→ (Type 251) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except R500 (285kw)	369*	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 664	More aggressive
	369*	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 664	
	383*	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 664	More aggressive
	383*	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 664	
	501*	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	More aggressive
	501*	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	505*	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	More aggressive
	505*	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 664	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 664	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 664	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	381	9.5 x 20	52	5 / 112	66.6	381 950 001	035 457 000	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	065 457 664	
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	503	9.0 x 20	50	5 / 112	C.R.	503 900 003	065 457 000	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
	381	10.0 x 22	52	5 / 112	66.6	381 102 011	035 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	
R63 AMG 01/2007→01/2008 (Type 251) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 20	40	5 / 112	C.R.	369 850 002	035 457 664	
	365	10.0 x 22	60	5 / 112	66.6	365 102 001	035 457 000	
	381	10.0 x 22	52	5 / 112	66.6	381 102 011	035 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE	
S-KLASSE 09/2005→ (Type 221) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX									
* Except S600 (380kw)	369*	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 664		
	369*	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 664	Rear Axle	
	383*	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 664		
	383*	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 664	Rear Axle	
	501*	8.0 x 18	30	5 / 112	C.R.	501 808001	035 457 664		
	501*	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 664	Rear Axle	
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 664		
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 664	Rear Axle	
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664		
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664		
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664		
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664		
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664		
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664		
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664		
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 664		
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664		
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664		
	503	10.5 x 20	40	5 / 112	C.R.	503 150 002	065 457 664	Rear Axle	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664		
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664		
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 664	Rear Axle	
	S63 AMG 09/2005→ (Type 221) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
		369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	Front Axle
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle	
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	Front Axle	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	Front Axle	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	Front Axle	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664		
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	Front Axle	
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle	
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	Front Axle	
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	Front Axle	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	Front Axle	
	503	10.5 x 20	40	5 / 112	C.R.	503 150 002	065 457 664	Rear Axle	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	Front Axle	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle	
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	Front Axle	
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 664	Rear Axle	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
S65 AMG 09/2005→ (Type 221) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	Front Axle
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	Front Axle
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	Front Axle
	369	10.5 x 20	40	5 / 112	C.R.	369 150 004	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	Front Axle
	383	10.5 x 20	40	5 / 112	C.R.	383 150 002	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 664	Front Axle
	503	10.5 x 20	40	5 / 112	C.R.	503 150 002	065 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle
	383	9.0 x 21	35	5 / 112	C.R.	383 901 001	065 457 664	Front Axle
	383	10.5 x 21	32	5 / 112	C.R.	383 151 001	065 457 664	Rear Axle
SLK 04/2011→ (Type 172) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	055 257 664	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	055 257 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear
SLK 01/2004→03-2011 (Type 171) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	055 257 664	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	055 257 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	Body work
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear+Body work
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	Body work
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear+Body work
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	Body work
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear+Body work
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	Body work
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear+Body work

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
SLK55 AMG 01/2004→ (Type 171) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	055 257 664	Front Axle
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	055 257 664	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	025 257 664	Front Axle
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	025 257 664	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	Front Axle
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	Front Axle
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	055 257 664	Front Axle
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	055 257 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	025 257 664	Front Axle
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	025 257 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
SL-KLASSE FACELIFT 03/2008→ (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
SL65 AMG FACELIFT 03/2008→ (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
SL-KLASSE 06/2001→03/2008 (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
SL 55 AMG 06/2001→03/2006 (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 664	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 664	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 664	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
SL65 AMG 03/2006→03/2008 (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	369	8.5 x 20	30	5 / 112	C.R.	369 850 001	035 457 664	
	369	10.5 x 20	30	5 / 112	C.R.	369 150 001	035 457 664	Rear Axle
	383	8.5 x 20	30	5 / 112	C.R.	383 850 001	065 457 664	
	383	10.5 x 20	30	5 / 112	C.R.	383 150 001	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.